

## Undisputed Extracts

Sample: 2306DEL0635.2693

Phoenix, AZ 85050  
get.niko.19@gmail.com  
(602) 269-0347  
Lic. #00000078ESQG10647381

Strain: Slurrricane  
Lot#: UDS61623DEC; Batch#: UDS61623DEC; Batch Size: 10 g  
Sample Received: 06/20/2023; Report Created: 06/28/2023  
Testing Completed: 06/27/2023

## Slurrricane

Concentrates & Extracts, Live Resin, Butane Reference:



<b>Complete</b> Potency	<b>Pass</b> Microbials	<b>Pass</b> Residual Solvents	<b>Pass</b> Pesticides, Fungicides, Growth Regulators	<b>Not Tested</b> Herbicides	<b>Pass</b> Mycotoxins	<b>Pass</b> Heavy Metals
----------------------------	---------------------------	----------------------------------	--	---------------------------------	---------------------------	-----------------------------



**83.75%**  
THC Max

**ND**  
CBD Max

**93.88%**  
Regulatory Cannabinoids

**93.88%**  
Total Cannabinoids Q3

## Cannabinoids

Cannabinoid	LOQ	Concentration	Concentration	Qualifiers
	%	%	mg/g	
CBC	3.33	<LOQ	<LOQ	
CBD	3.33	ND	ND	
CBDa	3.33	ND	ND	
CBG	3.33	ND	ND	
CBGa	3.33	ND	ND	
CBN	3.33	ND	ND	
Δ8-THC	3.33	ND	ND	
Δ9-THC	3.33	11.46	114.6	
THCa	3.33	82.42	824.2	
THCV	3.33	ND	ND	
<b>Total</b>		<b>93.88</b>	<b>938.8</b>	

Qualifiers: M4,D1  
Date Tested: 06/16/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (M4,D1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021. SOP-134; THC Max = THCa \* 0.877 + Δ9-THC; CBD Max = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

**Undisputed Extracts**

**Sample: 2306DEL0635.2693**

Phoenix, AZ 85050  
get.niko.19@gmail.com  
(602) 269-0347  
Lic. #00000078ESQG10647381

Strain: Slurricane  
Lot#: UDS61623DEC; Batch#: UDS61623DEC; Batch Size: 10 g  
Sample Received: 06/20/2023; Report Created: 06/28/2023  
Testing Completed: 06/27/2023

**Slurricane**

Concentrates & Extracts, Live Resin, Butane Reference:



**Microbials**

**Pass**

Analyte	Limit	Results	Status
Salmonella	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus (flavus, fumigatus, niger, and terreus)	Not Detected in 1g	Not Detected in 1g	Pass

Analyte	Limit	Results	Status
E. Coli	CFU/g 100	CFU/g < 10 CFU/g	Pass



Date Tested: 06/23/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
MTD-134, PRD-111; LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only.  
Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



## Undisputed Extracts

Sample: 2306DEL0635.2693

Phoenix, AZ 85050  
get.niko.19@gmail.com  
(602) 269-0347  
Lic. #00000078ESQG10647381

Strain: Slurrricane  
Lot#: UDS61623DEC; Batch#: UDS61623DEC; Batch Size: 10 g  
Sample Received: 06/20/2023; Report Created: 06/28/2023  
Testing Completed: 06/27/2023

## Slurrricane

Concentrates & Extracts, Live Resin, Butane  
Reference:



## Pesticides

Pass

Analyte	LOQ	Limit	Units	Qualifiers	Status	Analyte	LOQ	Limit	Units	Qualifiers	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.01	0.50	ND		Pass	Hexythiazox	0.03	1.00	ND	V1	Pass
Acephate	0.01	0.40	ND		Pass	Imazalil	0.01	0.20	ND		Pass
Acequinocyl	0.05	2.00	ND	M2	Pass	Imidacloprid	0.01	0.40	ND	L1	Pass
Acetamiprid	0.01	0.20	ND	L1 V1	Pass	Kresoxim Methyl	0.01	0.40	ND		Pass
Aldicarb	0.01	0.40	ND		Pass	Malathion	0.01	0.20	ND		Pass
Azoxystrobin	0.01	0.20	ND	V1	Pass	Metalaxyl	0.01	0.20	ND		Pass
Bifenazate	0.01	0.20	ND	R1 V1	Pass	Methiocarb	0.01	0.20	ND		Pass
Bifenthrin	0.01	0.20	ND	M2	Pass	Methomyl	0.01	0.40	ND		Pass
Boscalid	0.01	0.40	ND	L1 V1	Pass	Myclobutanil	0.01	0.20	ND		Pass
Carbaryl	0.01	0.20	ND		Pass	Naled	0.01	0.50	ND		Pass
Carbofuran	0.01	0.20	ND		Pass	Oxamyl	0.03	1.00	ND	L1 M1 V1	Pass
Chlorantraniliprole	0.01	0.20	ND		Pass	Paclobutrazol	0.01	0.40	ND	L1 V1	Pass
Chlorfenapyr	0.03	1.00	ND		Pass	Permethrins (cis- and trans-isomers)	0.01	0.20	ND	M2	Pass
Chlorpyrifos	0.01	0.20	ND	L1 M2	Pass	Phosmet	0.01	0.20	ND		Pass
Clofentezine	0.01	0.20	ND	L1 V1	Pass	Piperonyl Butoxide	0.05	2.00	ND		Pass
Cyfluthrin	0.03	1.00	ND	M2	Pass	Prallethrin	0.01	0.20	ND	V1	Pass
Cypermethrin	0.03	1.00	ND	M2	Pass	Propiconazole	0.01	0.40	ND	L1	Pass
Daminozide	0.03	1.00	ND		Pass	Propoxur	0.01	0.20	ND		Pass
DDVP	0.00	0.10	ND	V1	Pass	Pyrethrins (Pyrethrin I, Cinerin I, and Jasmolin I)	0.03	1.00	ND	L1 M1 V1	Pass
Diazinon	0.01	0.20	ND	L1 V1	Pass	Pyridaben	0.01	0.20	ND		Pass
Dimethoate	0.01	0.20	ND		Pass	Spinosad (A and D)	0.01	0.20	ND		Pass
Ethoprophos	0.01	0.20	ND	L1 V1	Pass	Spiromesifen	0.01	0.20	ND		Pass
Etofenprox	0.01	0.40	ND	M2	Pass	Spirotetramat	0.01	0.20	ND	M2	Pass
Etoxazole	0.01	0.20	ND	L1 V1	Pass	Spiroxamine	0.01	0.40	ND	L1 V1	Pass
Fenoxycarb	0.01	0.20	ND	V1	Pass	Tebuconazole	0.01	0.40	ND	L1 V1	Pass
Fenpyroximate	0.01	0.40	ND	L1	Pass	Thiacloprid	0.01	0.20	ND	V1	Pass
Fipronil	0.01	0.40	ND		Pass	Thiamethoxam	0.01	0.20	ND		Pass
Fonicamid	0.03	1.00	ND	L1 M1 V1	Pass	Trifloxystrobin	0.01	0.20	ND	V1	Pass
Fludioxonil	0.01	0.40	ND	R1 M2	Pass						

## Herbicides

Not Tested

Analyte	LOQ	Limit	Units	Qualifiers	Status
---------	-----	-------	-------	------------	--------

Qualifiers: L1 R1 M1 M2 V1

Date Tested: 06/23/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 R1 M1 M2 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Undisputed Extracts

Sample: 2306DEL0635.2693

Phoenix, AZ 85050  
get.niko.19@gmail.com  
(602) 269-0347  
Lic. #00000078ESQG10647381

Strain: Slurricane  
Lot#: UDS61623DEC; Batch#: UDS61623DEC; Batch Size: 10 g  
Sample Received: 06/20/2023; Report Created: 06/28/2023  
Testing Completed: 06/27/2023

Slurricane

Concentrates & Extracts, Live Resin, Butane Reference:



Residual Solvents

Pass

Analyte	LOQ	Limit	Mass	Qualifiers	Status
	PPM	PPM	PPM		
Acetone	500	1000	ND		Pass
Acetonitrile	205	410	ND	L1 R1 M1 V1	Pass
Benzene	1	2	ND	R1 V1	Pass
Butanes (n-butane and iso-butane)	2500	5000	ND	M2 V1	Pass
Chloroform	30	60	ND	V1	Pass
Dichloromethane	300	600	ND	V1	Pass
Ethanol	2500	5000	ND	L1 V1	Pass
Ethyl Acetate	2500	5000	ND	M1 V1	Pass
Ethyl-Ether	2500	5000	ND	M1 V1	Pass
Heptane	2500	5000	ND	M1 V1	Pass
Hexanes (n-hexane, 2-methylpentane, 3-methylpentane, 2,2-dimethylbutane, and 2,3-dimethylbutane)	145	290	ND	R1 M1 V1	Pass
Isopropanol	2500	5000	ND	M1 V1	Pass
Isopropyl-Acetate	2500	5000	ND	L1 M1 V1	Pass
Methanol	1500	3000	ND	L1 V1	Pass
Pentanes (n-pentane, iso-pentane, and neo-pentane)	2500	5000	ND	M1 M2 V1	Pass
Propane	2500	5000	ND	M2 V1	Pass
Toluene	445	890	ND	V1	Pass
Xylenes (1,2-dimethylbenzene, 1,3-dimethylbenzene, 1,4-dimethylbenzene, and ethyl benzene)	1085	2170	ND	V1	Pass

Qualifiers: L1 R1 M1 M2 V1  
Date Tested: 06/21/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 R1 M1 M2 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
SOP-135; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



12620 N. Cave Creek Road Suite 2  
Phoenix, AZ 85022  
(602) 466-9730  
<https://www.deltaverdelabs.com>  
Lic# 0000008LCXF00023166

Raju Kandel  
Technical Lab Director

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



## Undisputed Extracts

Sample: 2306DEL0635.2693

Phoenix, AZ 85050  
get.niko.19@gmail.com  
(602) 269-0347  
Lic. #00000078ESQG10647381

Strain: Slurricane  
Lot#: UDS61623DEC; Batch#: UDS61623DEC; Batch Size: 10 g  
Sample Received: 06/20/2023; Report Created: 06/28/2023  
Testing Completed: 06/27/2023

## Slurricane

Concentrates & Extracts, Live Resin, Butane  
Reference:



## Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Qualifiers	Status
Arsenic	0.20	0.40	ND		Pass
Cadmium	0.20	0.40	ND		Pass
Mercury	0.60	1.20	ND		Pass
Lead	0.50	1.00	ND		Pass

Date Tested: 06/23/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



Undisputed Extracts

Sample: 2306DEL0635.2693

Phoenix, AZ 85050  
get.niko.19@gmail.com  
(602) 269-0347  
Lic. #00000078ESQG10647381

Strain: Slurricane  
Lot#: UDS61623DEC; Batch#: UDS61623DEC; Batch Size: 10 g  
Sample Received: 06/20/2023; Report Created: 06/28/2023  
Testing Completed: 06/27/2023

Slurricane

Concentrates & Extracts, Live Resin, Butane Reference:



Mycotoxins

Pass

Analyte	LOQ	Limit	Units	Status	Qualifiers
	PPB	PPB	PPB		
B1	0.50		ND	Tested	
B2	0.50		ND	Tested	R1
G1	0.50		ND	Tested	R1
G2	0.50		ND	Tested	
Ochratoxin A	0.50	20.00	ND	Pass	V1
Total Aflatoxins	0.50	20.00	ND	Pass	R1

Qualifiers: R1 V1  
Date Tested: 06/23/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (R1 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

